



"Why Walk When You Can Ride"

Introducing the Innova 55B Compact Ride On Scrubber



The Innova 55B Ride On Scrubber can be used everywhere.
It is compact, silent,
increases productivity and reduces costs.

Why not invest in a Innova 55B today!

Innova 55B Has the same dimensions as walk behind model: you can clean faster surfaces up to 3,000 sq. m.



Comac designed a scrubbing machine that is extremely convenient: indeed, with the same investment intended for a walk behind model is possible to have Innova 55B, that is more user-friendly and faster in cleaning operations.

Innova 55B is a ride on scrubbing machine with automatic traction, available in battery version with single disc brush of 56 cm working width.

Innova 55B



Compared to a walk behind scrubbing machine Innova 55B offers the following benefits:


- It lowers management and usage costs throughout its life-cycle since:
- It requires little maintenance
- It is built with top quality materials
- It uses waste-reducing technologies
- It scrubs more square metres in the same time
- It is comfortable, safe and user-friendly
- It is silent: can clean in sensitive environments such as nursing homes, hospitals etc. Without disturbing the environment thanks to the "Eco Mode" device, that reduces the sound level
- It is fast, twice the speed of a walk behind scrubbing machine
- Reduces CO₂ emissions by up to 36%.



^{*} In specific tests vs walk-behind machines

1 - Central Cleaning Supplies Innova 55B

Innova 55B The simple design and the new steering wheel make it ergonomic and handy in any situation





The operator remains comfortably seated and can easily move in limited spaces, quickly passing from one area to another - even in a lift - in total safety

QUALITY DESIGN IN EVERY LAST DETAIL

Steering is light and smooth, so it can be manoeuvred and used in even the most congested areas and the narrowest passages with the minimum effort.



Ergonomic steering wheel with controls and display to make driving intuitive and safer, because the operator isn't distracted and the scrubbing functions are activated without ever leaving the driving wheel




USER-FRIENDLY DIGITAL DISPLAY

SMALL as a walk behind scrubbing machine PRODUCTIVE and comfortable as an on board model





Cleans perfectly along walls without any need for manual cleaning operations




DESIGN

The lowered footboard and access from both sides makes it safer and more practical.

MINIMUM **AISLE TURN**

1540 mm



2 - Central Cleaning Supplies Innova 55B


Innova 55B Is safe for the operator and for the environment where it performs



Low centre of gravity and excellent weight distribution, to ensure the utmost stability even on slopes

The low sound
level - 54 dB (A) - means
the machine can be used anywhere,
at any time, without disturbing
the people nearby and safeguarding the operator's health






3 - Central Cleaning Supplies Innova 55B



Innova 55B Designed to keep the investment value high over time












The elements requiring daily maintenance can easily be identified by their yellow colour.

At the end of his work-shift, the operator can quickly see which parts need sanitising, without wasting any time.

This increases machines efficiency and keeps its value high

Quick filling of the solution tank









4 - Central Cleaning Supplies Innova 55B

Innova 55B Respect for man and the environment

	MODEL			
Eco Mode	Innova 55 B	Innova 55 B (CDS)		
Device	Sound level reduction	Sound level reduction		
ECO	Energy saving	Energy saving		
	75	Water and detergent		
		saving		

TECHNICAL DATA		Innova 55B
Squeegee width	mm	705-800
Disc brushes Ø (No.)	(n.) mm	(1) 560
Brush motor	V/W	24/450
Brushes rpm	rpm	170
Suction motor (No.)	V/W	24/310
Traction motor	V/W	24/300
Suction vacuum	mbar	70
Forward speed	km/h	0÷5,5
Minimum aisle turn	mm	1540
Type of drive	-	aut.
Battery compartment dimensions (L x h x w)	mm	362 x 290 x 354
Gradeability	%	20
Batteries (GEL) (n.)	V/Ah	12/134 (2)
Batteries (WET) (n.)	V/Ah	12/150 (2)
Batteries weight	kg	80

cowoc	Working width mm	Brushes pressure	Power supply V/ traction	Solution tank I	Recovery tank I	Working capacity up to sq.m/h	Machine dimensions mm L x H x W	Machine weight kg (without batteries)
ιία	560	23	24/aut.	70	70	3000	1265 1030 600	110



Reduces the use of the chemical product



Reduces noise levels



Reduces energy consumption



y Preserves water



Increases satety



Reduces packaging volumes and therefore the number of transportation means required



Uses recyclable materials





The machines are manufactured in compliance with the directives 2006/42/CE, 2006/95/CE, 2004/108/CE and with the standars IEC 60335-1 and IEC 60335-2-72.

The steel parts are subject to treatment which guarantees a long life and makes the parts oxidation-proof.

CONTACT ALL BRANCHES

Tel: 1300 347 347 Fax: 1300 348 348

www.centralcleaning.com.au Email: sales@centralcleaning.com.au



VICTORIA - NEW SOUTH WALES - TASMANIA SOUTH AUSTRALIA - QUEENSLAND - WESTERN AUSTRALIA